

Birds of the Byway

Tour Guide

A self-guided tour of bird watching along the Paul Bunyan Scenic Byway www.paulbunyanscenicbyway.org

Nestled among the lakes of Central Minnesota's Lake Country, the Paul Bunyan Scenic Byway offers many opportunities to enjoy the beauty of nature.



This guide was produced in cooperation with Steve & Jo Blanich, JM Plein Consulting, Jean Segerstrom and the Minnesota DNR-Nongame Wildlife Program.



All mileage shown in miles. CSAH = County State Aid Highway.

On CSAH 11 - From Jct. Hwy. 371 & CSAH 11 in Pequot Lakes.

mi		

1) 1.9 lake on South side - marsh on North side

Spring: osprey, loon, grebe, blue-winged teal, mallard, wood duck, nesting bald eagle, American bittern, red-winged blackbird, song sparrow Summer & Fall: same as spring plus; common yellowthroat, yellow warbler, pine warbler, Nashville warbler, green heron

2) 3.1 marsh on South side

Spring: red-winged blackbird, great blue heron, song sparrow Summer: same as spring plus; black tern, rails, common yellowthroat, yellow warbler

7.2 Shaffer Lake on South side

Spring & Fall: loon, grebe, ducks, great blue heron, red-winged blackbird Summer: same as spring & fall plus; marsh wren, chestnut-sided warbler, American redstart, red-eyed vireo

4) 7.6 marsh on North & South sides

Spring, Summer & Fall: rails, osprey, warblers, scarlet tanager, black tern

In pines - great crested flycatcher, least flycatcher

On CSAH 3 - Start point of mileage reference remains at the stoplights in Pequot Lakes.

miles site

 12.5 all along this portion Spring, Summer, Fall: loon, grebe, ducks, herons

On CSAH 66 - Start point of mileage reference remains at the stoplights in Pequot Lakes.

miles site

14.8 Crosslake Recreation Area

Spring & Fall: variety of waterfowl

Summer: waterfowl plus; flycatchers, warblers

7) 17.7 osprey platform on West side

Spring, Summer & Fall: osprey

8) 19.5 residential yards

Spring & Summer: bluebirds & tree swallows (boxes)

9) 20.1 large field at junction of CSAH 66 and CSAH 1

Spring & Summer: meadowlarks, bobolinks, killdeer, Savannah sparrows, bluebirds, kestrels, red-tailed hawks, swallows, kingbirds

On CSAH 1 - From Jct. CSAH 66 & CSAH 1 to Jct. CSAH 1 & CSAH 15.

miles site

10) 2.1 large marsh on both sides

Spring, Summer & Fall: bittern, ducks, rails, alder flycatcher, marsh wren, sedge wren, common yellowthroat and yellow warblers, red-winged blackbirds,

11) 3.1 beaver lodge on West side

Spring & Fall: wood ducks, grebes

Summer: same as Spring & Fall plus; common yellowthroat and yellow warblers

- 12) 2.8 in the pines along CSAH 1 on either side of site #11
 - to All year: woodpeckers, nuthatches
 - 8.4 Summer: same as above plus; warblers, vireos

miles site

- 12) .1 ash trees South side warblers, vireos, thrushes, flycatchers
 - .2 bluebird trail
 - .4 rose-breasted grosbeak, tree swallows
 - .5 creek & swamp green herons, bitterns
 - 1.0 pasture on South, bobolinks
 - 1.2 pasture on South, willow swamp on North warblers, vireos, sedge wrens, red-winged blackbirds
 - 2.0 pastures on North & South bobolinks, red-winged blackbirds, sedge wrens, savannah & song sparrows
 - 2.6 Cass County Line Pasture on North red-winged blackbirds, bobolinks, sedge wrens, savannah & song sparrow.
 - 2.8 pines on North & South indigo bunting
 - 3.1 marsh on North red-winged blackbird, yellowthroat & yellow warblers, swamp sparrow
- 13) 3.2 at Arvig Creek on North & South

Spring, Summer, Fall: bitterns, herons, wood ducks, hooded mergansers, sedge wrens, swamp sparrow

- 3.3 pines pine & redstart warblers
- 3.8 spruce plantation on North, fields on South ovenbird, scarlet tanager
- 4.2 creek & fields North & South bitterns, herons
- 14) 5.4 at Pine River Dam

Spring, Summer, Fall: ducks, geese, ringbill gulls, swallows

On CSAH 15 - From Jct. CSAH 1 & CSAH 15 to Jenkins.

miles site

15) 2.3 at the Pine River Bridge

Spring & Fall: ducks, hooded mergansers

Summer: same as Spring & Fall plus; clay-colored sparrows (in small pines)

16) 3.9 Deer Lake on North side

Spring, Summer & Fall: loons, ducks, grebes, herons

Large Fields along CSAH 15

Spring, Summer & Fall: meadowlarks, bobolinks, Savannah sparrows, bluebirds, swallows, kingbirds, kestrels

On CSAH 16 - Beginning at the intersection of Hwy. 371 & CSAH 16.

miles site

17) - at the intersection along the Paul Bunyan Trail

Spring, Summer & Fall: goldfinches, song sparrows, clay-colored sparrows, towhees, vireos, Nashville warblers (in pines)

18) 9.3 Uppgaard Wildlife Management Area - a must see location

Spring & Fall: annual migrations - view almost anything! Most likely viewing - warblers, vireos, thrushes, flycatchers, bluebirds, orioles, tanagers, sparrows

Summer: same as Spring & Fall plus; wrens, woodpeckers, grouse, water birds of all varieties

19) 10.9 marsh on South side

Spring, Summer & Fall: grebes, herons, rails, osprey

Over Entire Route

During winter look for these species: bald eagles, hawks, owls, woodpeckers (hairy, downy, red-bellied, pileated), nuthatches (white breasted, red breasted), finches (grosbeaks, redpolls, crossbills, tree sparrows, juncos). Large fields offer likely viewing of meadowlarks, killdeer, bluebirds. Power lines near fields offer likely viewing of kestrels.

Birds of the Byway

This is a partial list of birds seen along the Paul Bunyan Scenic Byway. For a complete list of Minnesota's 312 regular species, pick up The Minnesota's Ornithologists' Union Checklist.

□ Grebe, eared R - R - □ Swallow, to horned U - U - □ Chickadee □ pied-billed C C C C - □ Nuthatch, red-necked U - U - □ □ Wren, max □ Bittern, American U U U - □ Wren, max □ least R R R R - □ Bluebird, or green C C C C - □ Bluebird, or how	Sp S F W C C C - tree C C C C - c, black-capped C C C C red-breasted O O O O white-breasted C C C C rsh O O O - dge C C C C ray-cheeked R - R - ermit U U U - wainson's C R C - orod R R R R - nerican C C C C - eyed C C C - itary U U U - rbling C C C C - low-throated C C C C C C - low-throated C C C C C C C C - low-throated C C C C C C C C C C C C C C C C C C C
□ Grebe, eared R - R - □ Swallow, to horned U - U - □ Chickadee □ pied-billed C C C C - □ Nuthatch, red-necked U - U - □ □ Wren, malleast □ Bittern, American U U U - □ □ Wren, malleast R R R R - □ □ Sector □ Bluebird, or mallard □ Breen C C C C - □ □ Bluebird, or mallard □ Thrush, go □ Thrush, go □ Thrush, go □ Thrush, go □ □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ □ □ Thrush, go □ □ □ □ □ Thrush, go □ □ □ □ Thrush, go □ □ □ □ □ □ Thrush, go □ □ □ Thrush, go □ □	ree
□ horned U - U - U - □ Chickadee □ pied-billed C C C C - □ Nuthatch, □ red-necked U - U - □ □ □ Bittern, American U U U - □ □ □ least R R R R - □ □ □ great blue C C C C - □ □ □ green C C C C - □ □ □ Duck, American Wigeon O - O - □ □ □ American black R - R - □ □ □ blue-winged teal C C C C - □ □ □ gadwall O - O - □ □ Robin, Am □ northern shoveler O - O - □ □ vireo, red □ wood C C C C - □ □ wa	c, black-capped
□ pied-billed C C C □ □ Nuthatch, □ red-necked U - U - □ □ Bittern, American U U U - □ Wren, max □ least R R R R - □ Bluebird, or □ green C C C C - □ Bluebird, or □ Duck, American Wigeon O - O - □ h □ American black R - R - □ Sr □ blue-winged teal C C C C - □ Robin, Am □ gadwall O - O - □ Robin, Am □ northern shoveler O - O - □ Sol □ wood C C C C - □ wa	red-breasted O O O O white-breasted C C C C rsh O O O - lge C C C - eastern C C C - ray-cheeked R - R - ermit U U U - wainson's C R C - rood R R R - nerican C C C - eyed C C C - itary U U U - rbling C C C - low-throated C C C - low-throated C C C - C - low-throated C C C C C - low-throated C C C C C - low-throated C C C C C C - low-throated C C C C C C - low-throated C C C C C C C - low-throated C C C C C C C - low-throated C C C C C C - low-throated C C C C C C - low-throated C C C C C C C C C C C C C C C C C C
□ red-necked U - U - U - □ □ Wren, ma □ Bittern, American U U U - □ □ Wren, ma □ least R R R R - □ □ sec □ Heron, great blue C C C C - □ □ Bluebird, o □ green C C C C - □ □ Thrush, g □ Duck, American Wigeon O - O - □ □ h □ American black R - R - □ □ So □ blue-winged teal C C C C - □ □ Robin, American winged □ gadwall O - O - □ □ Robin, American winged □ mallard C C C C - □ □ Vireo, red □ northern shoveler O - O - □ □ sol □ wood C C C C - □ □ wa	white-breasted C C C C rsh O O O - dge C C C C - eastern C C C - - ray-cheeked R - R -<
□ Bittern, American U U U □ □ Wren, ma □ least R R R R − □ Sec □ Heron, great blue C C C C □ □ Bluebird, o □ green C C C C □ □ Thrush, go □ Duck, American Wigeon O - O - □ h □ American black R - R - □ So □ blue-winged teal C C C C - □ Robin, American winged □ gadwall O - O - □ Robin, American winged □ mallard C C C C - □ Vireo, red □ northern shoveler O - O - □ sol □ wood C C C C - □ wa	rsh.
least	C C C C C c C c c c c c c c c c c
□ Heron, great blue C C C - □ Bluebird, or □ green C C C C - □ Thrush, gr □ Duck, American Wigeon O - O - □ h □ American black R - R - □ Sr □ blue-winged teal C C C C - □ Robin, American winged □ gadwall C C C C - □ Robin, American winged □ northern shoveler O - O - □ Vireo, red □ wood C C C C - □ wa	ray-cheeked R - R - ermit U U U - wainson's C R C - rood R R R R - nerican C C C C - eyed C C C - itary U U U - rbling C C C C - low-throated C C C -
green C C C C - Thrush, gr Duck, American Wigeon O - O - H American black R - R - S blue-winged teal C C C C - Robin, Am gadwall C C C C - Robin, Am mallard C C C C - Vireo, red northern shoveler O - O - Sol wood C C C C - Wa	ray-cheeked R - R - ermit U U U - wainson's C R C - /ood R R R R - herican C C C Ceyed C C C - itary U U U - rbling C C C C - low-throated C C C C -
□ Duck, American Wigeon 0 - 0 - □ □ Initiality, Since the properties of the	ermit U U U - wainson's C R C - /ood R R R R - nerican C C Ceyed C C C - itary U U U - rbling C C C C - low-throated C C C -
□ American black R - R - □ S □ blue-winged teal C C C - □ W □ gadwall O - O - □ Robin, Am □ mallard C C C C - □ Vireo, red □ northern shoveler O - O - □ sol □ wood C C C C - □ wa	wainson's C R C
blue-winged teal	rood R R R R R -
□ gadwall O - O - □ Robin, Am □ mallard C C C - □ Vireo, red □ northern shoveler O - O - □ sol □ wood C C C - □ wa	nerican C C C C - </td
	-eyed C C C - itary U U U - rbling C C C - low-throated C C C -
northern shoveler 0 - 0 - sol	itary
wood	rbling
Wa Wa	low-throated C C C -
- Waiblet, C	hestnut-sided C C C -
	ommon yellowthroat C C C -
	Vashville
I I I I I I I I I I I I I I I I I I I	American C C C -
bundania di C C C Lianagei, s	scarlet C C C -
rod tailed C C C Cardinar,	Northern R R R -
rough-legged R R R - Grospeak,	rose-breasted C C C -
Crouse C C C C I Iownee, e	eastern00 o o -
Rail, coot	Savannah
Crops condbill II II II	songC C C -
	rk-eyed C - C O
	U U U U
Tern, black O O O - Red-winge	ed blackbirdC C C -
Owi, parred C C C C Meadowla	ark, eastern C C C -
eastern screech k k k k — Oviolo Po	ltimore
	d, American U C C U
horizontal have been been been been been been been be	useU U U -
Showy	rple U U U -
Will poor will R R = Crossbill	R
Woodpecker, black backed.	ommon O
	evening O
	T T
pileated	1
	nd abundance status codes
Flycatcher, alder C C C -	
great crested C C C	1
	0
yellow-belliedR - R - R - R - R - R - R - R - R - R	W - Dec. to Feb.